



ACTIVE PASSIVE TRAINER

[www.tele-apt.com](http://www.tele-apt.com)

[info@tzora.shop](mailto:info@tzora.shop)



# MULTIPLE SCLEROSIS

---

The **Active Passive Trainer (APT)** is a family of unique exercise rehabilitation trainers for upper or lower limbs. The **APT** offers benefits that rehabilitation professionals expect from a medical device that is quality engineered and FDA and CE registered. The **APT** is commonly used in physiotherapy clinics in the USA and around the world and over the years, multiple clinical studies have confirmed the benefits of the trainer.

The wide range of exercise options makes the **APT** suitable for use by healthy and independent senior citizen for the maintenance of fitness and physical well-being. It is also designed for the physically impaired, as part of a planned rehabilitation program and as a supplement to physiotherapy.

The **APT** combines both passive and active exercise by using physical effort in conjunction with the electrical operation of the motor. Offering a wide range of advanced features, the **APT** trainer helps passive users recovering from injury, suffering from muscle atrophy or confined to a wheelchair, maintain muscle tone and improve blood circulation and stamina. The trainer also challenges active users with five levels of resistance for active exercising. This makes the trainer extremely helpful for movement rehabilitation, improving strength, stamina and fitness.

**APT** Trainers are now available for home use so patients can continue rehabilitation, without having to leave home.

# APT Rehabilitation Trainers

## TOTAL WORKOUT FOR ARMS AND LEGS

### INCREASES RANGE OF MOTION

The **APT** trainer allows the performance of repetitive movements of the upper and lower extremities. Using the Passive and Passive Assist modes allows to moderately increase the passive range of motion of the major joints. Once obtained, a novel range of motion should be followed by Active Mode training for muscle conditioning.

### REDUCES SPASMS

The **APT** trainer Passive and Passive Assist modes facilitate slow and controlled rhythmic movements of the extremities. Users with increased muscle tone due to neurological conditions may benefit from using these modes. If needed, accessories providing additional support for the limbs may be added. Furthermore, increased muscle tone during movement may be a result of weakness, therefore training with the Passive Assist and Active mode may increase muscle strength and reduce the demanded effort performing movements.



### IMPROVES WALKING CAPABILITIES

Training with the **APT** helps to improve walking distance and speed. This improvement is achieved mainly by improving the aerobic capacity of the circulatory and respiratory systems, along with increasing the major muscles' resistance to fatigue.

### INCREASES MUSCLE STRENGTH

The **APT** trainer enables muscle strength training by concentrically flexing and extending the main joints of the extremities, using five distinct levels of resistance. Additionally, trunk muscle strength and postural control can improve while sitting unsupported.



# APT Trainers for Arms and Legs



## CLINICAL APPLICATIONS

- Parkinson's disease (PD)
- Spinal cord injury (SCI)
- Elderly / geriatric
- Orthopedic pathologies
- Multiple sclerosis (MS)
- Post-polio syndrome
- Post-cardiac rehabilitation
- Post-operative therapy
- Spina bifida
- Cerebrovascular accident (CVA)
- Cerebral palsy (CP)
- Myopathies
- Congenital muscular dystrophy




## FEATURES AND BENEFITS

- Five speeds for passive exercising
- Five levels of resistance for active exercising
- Auto reverse enables the reduction of a sudden increase in muscle tone (spasticity)
- Adjustable radius of movement of hand grips or footrests
- Upper or lower limbs training
- Improve blood circulation, muscle tone and range of motion
- Improve strength and endurance
- Activate rhythmical locomotion patterns
- Decrease atrophy, spasms and swelling
- Motor Learning
- Easily interchangeable accessories

## GROW & TELL APP

When you use the **APT** Trainer as part of a physiotherapy program, you will want to share your progress with your healthcare providers. The Grow & Tell App lets you grow in your abilities and to share your progress with others.

Install the app on your smart TV, tablet or smartphone to start tracking and sharing your progress.



# APT Trainer Utilization for Individuals with Multiple Sclerosis

Multiple Sclerosis (MS) is a chronic neurological disorder, characterized by the onset of fully or partially reversible episodes of neurological disability often lasting days to weeks.<sup>1</sup> Unfortunately, over time, many MS patients will suffer from permanent impairments as a result of these episodes, causing them to experience fatigue, muscle weakness, difficulty walking, increased muscle tone (spasticity) and imbalance. Consequently, engaging in daily activities becomes increasingly difficult, often leading to a sedentary lifestyle, deconditioning and worsening of symptoms.<sup>2</sup>

The role of exercise in MS has been controversial, with some claiming it could lead to increased morbidity as a result of exercise-induced injuries.<sup>3</sup> However, recent research suggests that exercise and physical activity may enhance mobility and muscle strength, along with reducing spasticity and fatigue.<sup>4-6</sup> Furthermore, health care organizations such as the National Clinical Guideline Centre (UK) have recently recommended exercise programs involving moderate progressive aerobic and resistance training to treat people with MS.<sup>7,8</sup>

The **Active-Passive Trainer (APT)** enables patients to engage in repetitive cycling movements of their upper and lower extremities. The **APT** can

be used to customize training programs that promote aerobic conditioning suitable for most MS patients. Moreover, The **APT** can be used for resistance training with five different resistance levels when appropriate. Deconditioned or very spastic MS patients may benefit from the **APT's** Passive Mode (fully motorized), followed by the Passive Assist Mode (motorically assisted) to increase their capabilities. The **APT** can be adjusted to meet the patient's needs, including recumbent, semi-recumbent, sitting and standing positions. If needed, accessories providing additional support for the limbs can be added.

## **AEROBIC TRAINING RECOMMENDATION\*, PERFORM TWO TO FIVE DAYS PER WEEK\*\***

1. Start with five minutes of low-intensity cycling.
2. Cycle for 10 minutes, at light to moderate intensity (11-13 on the Borg RPE\*\*\*).
3. Finish with five minutes of low-intensity cycling.

**\*Please consult physician or physical therapist before training.**

**\*\*Special consideration**

**It is preferable not to perform aerobic and resistance training on the same day.**

**Individuals with high heat sensitivity should exercise in a cool environment.**

**\*\*\*[https://www.physio-pedia.com/Borg\\_Rating\\_Of\\_Perceived\\_Exertion](https://www.physio-pedia.com/Borg_Rating_Of_Perceived_Exertion)**



## **FOR HEALTHCARE PRACTITIONERS**

Aerobic exercise recommendation:

2-5 days per week for 10-40 minutes per day, with a moderate intensity (11-13 on the Borg RPE or 40-70% of VO<sub>2</sub>max, 60%-80% of maximal heart rate).<sup>5,9</sup>

## BIBLIOGRAPHY

1. Reich DS, Lucchinetti CF, Calabresi PA. Multiple sclerosis. Longo DL, ed. *New England Journal of Medicine*. 2018;378(2):169-180. doi:10.1056/NEJMra1401483
2. Motl RW, Pilutti LA. The benefits of exercise training in multiple sclerosis. *Nature Reviews Neurology*. 2012;8(9):487-497. doi:10.1038/nrneurol.2012.136
3. Reynolds ER, Ashbaugh AD, Hockenberry BJ, McGrew CA. Multiple sclerosis and exercise: A literature review. *Current Sports Medicine Reports*. 2018;17(1):31-35. doi:10.1249/JSR.0000000000000446
4. Amatya B, Khan F, Galea M. Rehabilitation for people with multiple sclerosis: An overview of Cochrane Reviews. *Cochrane Database of Systematic Reviews*. 2019;2019(1). doi:10.1002/14651858.CD012732.pub2
5. Halabchi F, Alizadeh Z, Sahraian MA, Abolhasani M. Exercise prescription for patients with multiple sclerosis; potential benefits and practical recommendations. *BMC Neurology*. 2017;17(1). doi:10.1186/s12883-017-0960-9
6. Pilutti LA, Platta ME, Motl RW, Latimer-Cheung AE. The safety of exercise training in multiple sclerosis: A systematic review. *Journal of the Neurological Sciences*. 2014;343(1-2):3-7. doi:10.1016/j.jns.2014.05.016
7. Exercise : National Multiple Sclerosis Society. <https://www.nationalmssociety.org/Living-Well-With-MS/Diet-Exercise-Healthy-Behaviors/Exercise>. Accessed April 12, 2020.
8. (UK) NCGC. Multiple Sclerosis. National Institute for Health and Care Excellence (UK); 2014. <http://www.ncbi.nlm.nih.gov/pubmed/25340249>. Accessed April 8, 2020.
9. Kim Y, Lai B, Mehta T, et al. Exercise Training Guidelines for Multiple Sclerosis, Stroke, and Parkinson Disease: Rapid Review and Synthesis. *American Journal of Physical Medicine and Rehabilitation*. 2019;98(7):613-621. doi:10.1097/PHM.0000000000001174

# Clinical Research

Tzora has been building rehabilitation trainers for the past 25 years. We design our devices to improve the lives of users. Multiple clinical studies have been completed on patients using the features offered by **APT Trainers**.

Below is a sampling of some of the clinical studies that you can read at [www.tele-apt.com](http://www.tele-apt.com).

## **CLINICAL BENEFITS OF USING PASSIVE LEG CYCLING FOR PEOPLE WITH SPINAL CORD INJURIES (SCI)**

### **– CLINICAL STUDIES**

- Impact of Passive Leg Cycling in Persons with Spinal Cord Injury: A Systematic Review
- The Effect of Electrical Passive Cycling on Spasticity in War Veterans with Spinal Cord Injury
- The Effect of Passive Cycling Movements on Spasticity After Spinal Cord Injury: Preliminary Results
- Updated SA Spinal Cord Injury Service SubAcute Model of Care 30 Nov 2016

## **CLINICAL BENEFITS OF USING PASSIVE LEG CYCLING FOR PEOPLE WITH MULTIPLE SCLEROSIS**

### **(MS) – CLINICAL STUDIES**

- The Effect of Cycling Using Active-Passive Trainers on Spasticity, Cardiovascular Fitness, Function and Quality of Life in People with Moderate to Severe Multiple Sclerosis (MS); a Feasibility Study
- The Effects of Therapy on Spasticity Utilizing a Motorized Exercise-Cycle
- Cycling Progressive Resistance Training for People with Multiple Sclerosis: a Randomized Controlled Study
- Exercise Prescription for Patients with Multiple Sclerosis; Potential Benefits and Practical Recommendations

## **FUNCTIONAL RECOVERY AND WALKING ABILITY OF LOWER EXTREMITY IN PATIENTS WITH STROKE**

- Effect of Biofeedback Cycling Training on Functional Recovery And Walking Ability of Lower Extremity in Patients with Stroke
- Acute Bouts of Assisted Cycling Therapy for People with Chronic Stroke-Related Deficits
- Effects of Passive Exercise Training in Hemiplegic Stroke Patients. A Mini-Review

## **FRACTURES INVOLVING KNEE JOINTS**

- Knee Joint Replacement Surgery Post-Operative Exercise Program

### **THE EFFECT OF EXERCISE DURING HEMODIALYSIS**

- The Effects of Passive and Active Intradialytic Pedaling Exercises on Dialysis Efficacy, Electrolytes, Hemoglobin, Hematocrit, Blood Pressure and Health-Related Quality of Life in Hemodialysis Patients

### **CLINICAL BENEFITS OF USING LEG CYCLING FOR PEOPLE WITH PARKINSON'S DISEASE (PD) – CLINICAL STUDIES**

- Active Assistive Forced Exercise Provides Long-Term Improvement to Gait Velocity and Stride Length in Patients Bilaterally Affected by Parkinson's Disease
- A 12-Week Cycling Training Regimen Improves Gait and Executive Functions Concomitantly in People with Parkinson's Disease
- An 8-Week Low-Intensity Progressive Cycling Training Improves Motor Functions in Patients with Early-Stage Parkinson's Disease

### **CLINICAL BENEFITS OF USING ACTIVE PASSIVE CYCLING FOR CHILDREN WITH CEREBRAL PALSY – CLINICAL STUDIES**

- Pediatric Endurance and Limb Strengthening (PEDALS) for Children with Cerebral Palsy using Stationary Cycling: A Randomized Controlled Trial
- Task-Specific and Functional Effects of Speed-Focused Elliptical or Motor-Assisted Cycle Training in Children with Bilateral Cerebral Palsy: Randomized Clinical Trial
- The Pedals Stationary Cycling Intervention and Health-Related Quality of Life In Children with Cerebral Palsy: A Randomized Controlled Trial
- Characteristics of Lower Leg Muscle Activity in Patients with Cerebral Palsy during Cycling on an Ergometer
- Method of Analyzing the Performance of Self-Paced and Engine Induced Cycling In Children with Cerebral Palsy

## Contact Information

23240 Chagrin Blvd. Suite 540  
Beachwood OH 44122  
USA

Call +1 (440) 276-4208  
[www.tele-apt.com](http://www.tele-apt.com)  
[info@tzora.shop](mailto:info@tzora.shop)